



# Basic-G+™ Concentrated Disinfectant

Disinfects • Cleans • Deodorizes

## ACTIVE INGREDIENTS:

DIOCTYL DIMETHYL AMMONIUM CHLORIDE .....	21.05%
ALKYL (C <sub>12</sub> , 67%; C <sub>14</sub> , 25%; C <sub>16</sub> , 7%; C <sub>18</sub> , 1%)	
DIMETHYL BENZYL AMMONIUM CHLORIDE.....	14.03%
OTHER INGREDIENTS .....	64.92%
TOTAL .....	100.00%

## DANGER KEEP OUT OF REACH OF CHILDREN

**FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

### Net Contents: 16 oz. (473 mL)

## DISINFECTANT DILUTION:

1:256 (1,370 ppm active) 1/2 ounce per gallon of water.

Use Basic-G+ on washable hard, nonporous non-food contact surfaces in: homes, public facilities, schools, athletic facilities and health care facilities. Effective against: Salmonella enterica, Pseudomonas aeruginosa, Escherichia coli, Staphylococcus aureus, and Norovirus.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**PREPARATION OF DISINFECTANT USE-SOLUTION:** Mix 1/2 oz. per gallon of water. For heavy duty use, add 2 oz. per gallon of water.

**DISINFECTATION/VIRUCIDAL:** Apply use-solution to hard, nonporous, non-food contact surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet 5 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6–8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

Prepare a fresh solution daily or more often if solution becomes visibly dirty or cloudy.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Wear protective eyewear (goggles, face shield or safety glasses) protective clothing and protective (rubber or chemical resistant) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**STORAGE AND DISPOSAL:** Store in original container in areas inaccessible to children. Nonrefillable container. Do not reuse or refill this container. Wrap container and put it in trash or offer for recycling if available.



DISTRIBUTED BY: SHAKLEE CORPORATION  
4747 WILLOW ROAD, PLEASANTON, CA 94588



#00527

EPA Registration No. 6836-364-7294  
EPA Est. No. 10508-OH-001  
EPA Est. No. 10508-PA-001

MA816A