

Basic-G+® Reference Sheet

Use Basic-G+ on washable hard, nonporous non-food contact surfaces in: homes, public facilities, schools, athletic facilities and health care facilities.

Dilution: 1:256 (1,370 ppm quaternary strength) - ½ ounce per gallon of water.

EPA Registration Number: 6836-364-7294

Directions for use:

- It is a violation of Federal law to use Basic-G+ in a manner inconsistent with its labeling.

Preparation of Disinfectant Use-Solution:

- Mix 1/2 oz. per gallon of water. For heavy duty use, add 2 oz. per gallon of water.

DISINFECTION / VIRUCIDAL:

- Apply use-solution to hard, nonporous, non-food contact surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 5 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.
- For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.
- Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.
- Prepare a fresh solution daily or more often if solution becomes visibly dirty or cloudy.

Basic-G+® is effective against:

5 MINUTE CONTACT TIME	
[Bacteria:]	<p>Pseudomonas aeruginosa [Pseudomonas] Salmonella enterica [Salmonella] Staphylococcus aureus [Staph] Acinetobacter baumannii [Acinetobacter] Enterobacter aerogenes Enterobacter cloacae NDM 1 – Carbapenem Resistant [CRE] Enterococcus faecalis - Vancomycin resistant [VRE] Escherichia coli [E. coli] Escherichia coli O157:H7 Escherichia coli – Extended Spectrum Beta Lactamase producing [ESBL E. Coli] Escherichia coli NDM-1 - Carbapenem Resistant [CRE] Klebsiella pneumoniae [Klebsiella] Klebsiella pneumoniae – Extended Spectrum Beta Lactamase producing Klebsiella pneumoniae NDM 1- Carbapenem Resistant [CRE] Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300] Staphylococcus aureus - Methicillin-Resistant [MRSA] Staphylococcus aureus - Vancomycin Resistant – [VRSA] Streptococcus pyogenes [Strep] [a cause of scarlet fever]</p>
[Viruses:]	<p>*Hepatitis B Virus [HBV] *Hepatitis C Virus [HCV] *Herpes Simplex Virus Type 1 *Herpes Simplex Virus Type 2 *HIV-1 [AIDS virus] *Human Coronavirus *Influenza A Virus (H7N9) *Influenza A virus / Hong Kong [Influenza] [Influenza Virus] *Norwalk Virus – Norovirus *Respiratory Syncytial Virus [RSV] *SARS associated Coronavirus [SARS] *Vaccinia [Pox Virus]</p>
[Animal Viruses:]	<p>*Avian Influenza (H5N1) *Feline Calicivirus</p>
[Fungi:]	<p>Candida albicans</p>

*Virucidal

Version 1.0 / 07-01-2020 / Shaklee Corporation